

80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025

Page 1 of 17 Print Date 11/19/2025

SAFETY DATA SHEET

80222 INFINITE FX LIQUID MIRROR GOLD

Section 1. Identification

80222 INFINITE FX LIQUID MIRROR GOLD **GHS** product identifier

Chemical name Mixture CAS number Mixture Other means of identification FO20048036

Product type solid

Relevant identified uses of the substance or mixture and uses advised against

Product use Industrial applications. Plastics.

Supplier's details AVIENT CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (844) 4AVIENT

Emergency telephone number (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

Section 2. Hazards identification

OSHA/HCS status While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the substance or

mixture

Not classified.

GHS label elements

Signal word No signal word.

Hazard statements No known significant effects or critical hazards.

Precautionary statements

Prevention Not applicable. Response Not applicable. Storage Not applicable.

1/17





80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Page 2 of 17 Revision Date 11/18/2025 Print Date 11/19/2025

Disposal: Not applicable.Hazards not otherwise classified: None known.

Hazards identified when used : No known significant effects or critical hazards.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Chemical name:80222 INFINITE FX LIQUID MIRROR GOLDOther means of identification:10222 INFINITE FX LIQUID MIRROR GOLD

Ingredient name	Synonyms	%	Identifiers
Ethene, chloro-, homopolymer	Ethene, chloro-, homopolymer	>= 10 - <= 30	CAS: 9002-86-2
Copper	Copper (granulated)	>= 7 - <= 13	CAS: 7440-50-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the

exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025 Page 3 of 17 Print Date 11/19/2025

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or CO₂.

: None known.

Specific hazards arising from the chemical

Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials:, carbon dioxide, carbon monoxide, sulfur oxides, halogenated compounds, metal oxide/oxides

Promptly isolate the scene by remo

Special protective actions for firefighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025 Page 4 of 17 Print Date 11/19/2025

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if

released in large quantities.

Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and

place in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material

and place in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures: Put on appropriate personal protective equipment (see Section 8). Avoid release to the environment.

Advice on general occupational : Eating, drinking and smoking should be prohibited in areas where this

hygiene material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See

also Section 8 for additional information on hygiene measures.

Conditions for safe storage, : including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for

use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled

containers. Use appropriate containment to avoid environmental



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025

Page 5 of 17 Print Date 11/19/2025

contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Ethene, chloro-, homopolymer	ACGIH TLV (2008-01-01). [Polyvinyl chloride] A4. TWA 8 hours: 1 mg/m3 Form: Respirable fraction
Copper	CAL OSHA PEL (2018-05-16). [copper metal fume as Cu] TWA 8 hours: 0.1 mg/m3 (as Cu) NIOSH REL (2010-09-01). [copper dusts and mists as Cu] TWA 10 hours: 1 mg/m3 (as Cu) Form: Dusts and mists OSHA PEL (1993-06-30). [Copper] TWA 8 hours: 0.1 mg/m3 Form: Dusts and mists NIOSH REL (2010-09-01). [COPPER FUME as Cu] TWA 10 hours: 0.1 mg/m3 (as Cu) Form: Fume OSHA PEL 1989 (1989-03-01). [Copper Fume (as Cu)] TWA 8 hours: 0.1 mg/m3 (as Cu) Form: Fume OSHA PEL 1989 (1989-03-01). [Copper Dust and mists (as Cu)] TWA 8 hours: 1 mg/m3 (as Cu) Form: Dusts and mists ACGIH TLV (1994-09-01). [copper dusts and mists ACGIH TLV (1994-09-01). [copper fume] TWA 8 hours: 0.2 mg/m3 Form: Fume

Biological exposure indices

No exposure indices known.

Appropriate engineering controls Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Emissions from ventilation or work process equipment should be **Environmental exposure controls**

checked to ensure they comply with the requirements of

environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025 Page 6 of 17 Print Date 11/19/2025

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a

higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products

if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks

involved and should be approved by a specialist before handling this

product.

Respiratory protection: Based on the hazard and potential for exposure, select a respirator that

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper

fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : solid [Paste.]

Color : YELLOW

Odor : Faint odor.

Odor threshold : Not available.

pH : Not available.

Melting point/freezing point : Not available.

Boiling point or initial boiling point

and boiling range

Not available.



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Page 7 of 17 Revision Date 11/18/2025 Print Date 11/19/2025

Flash point : Not applicable.

Evaporation rate : Not available. **Flammability** : Not available.

Lower and upper explosion : Lower: Not applicable. limit/flammability limit : Upper: Not applicable.

Vapor pressure: Not available.Relative vapor density: Not applicable.Relative density: Not available.Solubility in water: insoluble in water.Partition coefficient: n-: Not applicable.

octanol/water

Auto-ignition temperature : Not applicable. **Decomposition temperature** : Not available.

Viscosity : Dynamic : Not available.

Kinematic : Not applicable.

Particle characteristics

Median particle size : Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Avoid contact with acetal homopolymers and acetyl homopolymers

during processing.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025 Page 8 of 17 Print Date 11/19/2025

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result
Copper	Rat - Oral - LD50
	482 mg/kg

Conclusion/Summary : Mixture. Not fully tested.

Skin corrosion/irritation

Conclusion/Summary : Mixture.Not fully tested.

Serious eye damage/eye irritation

Conclusion/Summary : Mixture.Not fully tested.

Respiratory corrosion/irritation

Conclusion/Summary : Mixture. Not fully tested.

Respiratory or skin sensitization

Skin

Conclusion/Summary : Mixture.Not fully tested.

Respiratory

Conclusion/Summary : Mixture.Not fully tested.

Germ cell mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture. Not fully tested.

8/17



80222 INFINITE FX LIQUID MIRROR GOLD

 Version Number 1.25
 Page 9 of 17

 Revision Date 11/18/2025
 Print Date 11/19/2025

Classification

Product/ingredient name	OSHA	IARC	NTP
Ethene, chloro-,	-	3	-
homopolymer			

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

Not available.

Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure



80222 INFINITE FX LIQUID MIRROR GOLD

 Version Number 1.25
 Page 10 of 17

 Revision Date 11/18/2025
 Print Date 11/19/2025

Potential immediate effects: Not available.Potential delayed effects: Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary : Mixture.Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Reproductive toxicity:No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
Copper	482 mg/kg	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result
80222 INFINITE FX LIQUID MIRROR	Remarks: Chemicals are not readily available as they are bound
GOLD	within the polymer matrix.
Copper	Acute LC50 Marine water
	Fish - Periophthalmus waltoni
	0.00756 Mg/l [96 h]
	Acute EC50 Fresh water
	Daphnia - Daphnia longispina
	0.0021 Mg/l [48 h]



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025 Page 11 of 17 Print Date 11/19/2025

Acute LC50 Marine water

Crustaceans - Amphipoda 0.000072 Mg/l [48 h] Acute EC50 Fresh water Aquatic plants - Lemna minor

1.1 Mg/l [96 h]

Acute IC50 Fresh water Algae - *Chlorella pyrenoidosa*

0.016 Mg/l [72 h]

Acute IC50 Marine water Aquatic plants - *Plantae* 5.4 Mg/l [72 h]

Chronic NOEC Marine water Algae - *Nitzschia closterium* 0.0025 Mg/l [72 h]

Chronic NOEC Fresh water

Aquatic plants - Ceratophyllum demersum

7 Mg/l [72 h]

Chronic NOEC Fresh water Fish - *Oreochromis niloticus* 0.0008 Mg/l [42 d]

0.0000 Mg/1 [42 d]

Chronic NOEC Fresh water Crustaceans - Cambarus bartonii 0.02 Mg/l [21 d]

Chronic NOEC Fresh water Daphnia - *Daphnia magna* 0.002 Mg/l [21 d]

Conclusion/Summary : Not available.

Persistence and degradability

Not available.

Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/Water partition coefficient

Mobility

: Not available.

: Chemicals are not readily available as they are bound within the polymer matrix.



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025 Page 12 of 17 Print Date 11/19/2025

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water : This product is not regulated as a dangerous good when transported in single or combination package sizes of 5 L / 5 KG or less provided the package meets the general packaging provisions.

49CFR 171.4(c), for domestic transport the requirements specific to marine pollutants do not apply to non-bulk packagings transported by motor vehicle, rail car or aircraft.

IATA : UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Copper), 9, PGIII, Marine Pollutant

IMDG : UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Copper), 9, PGIII, Marine Pollutant

Section 15. Regulatory information

U.S. Federal regulations





80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025 Page 13 of 17 Print Date 11/19/2025

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

TSCA 12(b) - Chemical export notification

Not applicable.

Clean Air Act Section 112(b) : Listed

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I : Not listed

Substances

Clean Air Act Section 602 Class : Not listed

II Substances

DEA List I Chemicals (Precursor: Not listed

Chemicals)

DEA List II Chemicals (Essential: Not listed

Chemicals)

SARA 302/304

Composition/information on ingredients

Name	%	EHS	SARA 302/304
PHENOL	> 0 - <= 0.1	Yes.	SARA 302 TPQ: 500 lb(s)
			SARA 302 TPQ Solid upper limit: 10,000
			lb(s)
			SARA 304 RQ: 1,000 lb(s)

SARA 304 RQ : 250,000,000 lbs

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

No products were found.

Name	%	Classification
Copper	>= 7 - <= 13	ACUTE TOXICITY - oral - Category 4

SARA 313

Form R - Reporting requirements

Product name	CAS number	%



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Page 14 of 17 Revision Date 11/18/2025 Print Date 11/19/2025

Copper	7440-50-8	>= 7 - <= 13
Zinc	7440-66-6	>= 1 - <= 5

Supplier notification

Product name	CAS number	%
Copper	7440-50-8	>= 7 - <= 13
Zinc	7440-66-6	>= 1 - <= 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed:

Copper Zinc

New York : The following components are listed:

Copper Zinc

New Jersey : The following components are listed:

PVC COPPER ZINC

MINERAL OIL (UNTREATED and MILDLY TREATED)

Pennsylvania : The following components are listed:

COPPER FUMECOPPER DUST

ZINC COMPOUNDS

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Chemical Weapons Convention List Schedule I Chemicals

None of the components are listed.

Chemical Weapons Convention List Schedule II Chemicals

None of the components are listed.



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025 Page 15 of 17 Print Date 11/19/2025

Chemical Weapons Convention List Schedule III Chemicals

None of the components are listed.

Montreal Protocol

None of the components are listed.

Stockholm Convention on Persistent Organic Pollutants

Annex A - Elimination - Production

None of the components are listed.

Annex A - Elimination - Use

None of the components are listed.

Annex B - Restriction - Production

None of the components are listed.

Annex B - Restriction - Use

None of the components are listed.

Annex C - Unintentional - Production

None of the components are listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Rotterdam Convention on Prior Informed Consent (PIC) - Industrial

None of the components are listed.

Rotterdam Convention on Prior Informed Consent (PIC) - Pesticide

None of the components are listed.

Rotterdam Convention on Prior Informed Consent (PIC) -Severely hazardous pesticide

None of the components are listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Heavy metals - Annex 1

None of the components are listed.

POPs - Annex 1 - Production

None of the components are listed.

POPs - Annex 1 - Use

None of the components are listed.



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025 Page 16 of 17 Print Date 11/19/2025

POPs - Annex 2

None of the components are listed.

POPs - Annex 3

None of the components are listed.

Inventory list

Australia : Not determined.
Canada : Not determined.
China : Not determined.

Eurasian Economic Union
 Japan
 Bussian Federation inventory: Not determined.
 Japan inventory (CSCL): Not determined.
 Japan inventory (ISHL): Not determined.

New Zealand Not determined. **Philippines** Not determined. Republic of Korea Not determined. Taiwan Not determined. Thailand Not determined. **Turkey** Not determined. **United States** Not determined. Viet Nam Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.


National Fire Protection Association (U.S.A.)

Flammability



80222 INFINITE FX LIQUID MIRROR GOLD

Version Number 1.25 Revision Date 11/18/2025 Page 17 of 17 Print Date 11/19/2025



Procedure used to derive the classification

Not classified.

History

Date of printing: 11/19/2025Date of issue/Date of revision: 11/18/2025Date of previous issue: 07/21/2025Version: 1.25

Prepared by : EHS_BATCH

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor DOT = Department of Transportation

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods IMO = International Maritime Organization

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

N/A = Not available SGG = Segregation Group

TDG = Transportation of Dangerous Goods

UN = United Nations

References Notice to reader : Not available.

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.